BRAIN RESEARCH

VOL. 583 NOS. 1/2 **CONTENTS** **26 JUNE 1992**

Guidelines for the submission of manuscripts v

Announcement from the Publisher vii

Intraseptal connections redefined: lack of a lateral septum to medial septum path
C. Leranth, T. Deller and G. Buzsáki (USA) 1

Intraretinal xenografts of differentiated human retinoblastoma cells integrate with the host retina
M. Del Cerro, M.F. Notter, G. Seigel, E. Lazar, G. Chader and C. Del Cerro (USA) 12

Stimulation of inositol phosphate formation in cultured human retinal pigment epithelium
R.B. Crook, M.-K. Song, L.P. Tong, J.M. Yabu, J.R. Polansky and G.M. Lui (USA) 23

Differentiation of Neuro-2a neuroblastoma cells by an antibody to GM_3 ganglioside
D. Chatterjee, M. Chakraborty and G.M. Anderson (USA) 31

The magnocellular arginine-vasopressin mRNA responds differently to food deprivation between the supraoptic and paraventricular nuclei of the hypothalamus in adrenalectomized rats with low corticosterone replacement
T. Ogasa, K. Hashimoto, S. Suemaru, J. Kageyama and Z. Ota (Japan) 45

Susceptibility of brain to AMPA induced excitotoxicity transiently peaks during early postnatal development
J.W. McDonald, W.H. Trescher and M.V. Johnston (USA) 54

Effects of inorganic constituents of saliva on taste responses of the rat chorda tympani nerve
R. Matsuo and T. Yamamoto (Japan) 71

Frequency selectivity is related to temporal processing in parallel thalamocortical auditory pathways
R.C. Lennartz and N.M. Weinberger (USA) 81

Modification of voltage-dependent Na^+ current by triphenyltin, an environmental pollutant, in isolated mammalian brain neurons
Y. Oyama (Japan) 93

The presence of thromboxane A_2 receptors in cultured astrocytes from rabbit brain
N. Nakahata, H. Ishimoto, M. Kurita, K. Ohmori, A. Takahashi and H. Nakanishi (Japan) 100

Presumptive adrenergic neurons containing phenylethanolamine *N*-methyltransferase immunoreactivity in the medulla oblongata of neonatal swine
D.A. Ruggiero, M. Anwar and P.M. Gootman (USA) 105

Ontogenic study of lithium–pilocarpine-induced status epilepticus in rats
E. Hirsch, T.Z. Baram and O.C. Snead III (USA, France) 120

The effects of lesions of the habenular nuclei on the development of sensitization to the behavioral activational effects of repeatedly administered morphine in the rat
D. Funk and J. Stewart (Canada) 127

5-Hydroxytryptamine receptor agonists for the abortive treatment of vascular headaches block mast cell, endothelial and platelet activation within the rat dura mater after trigeminal stimulation
M.G. Buzzi, V. Dimitriadou, T.C. Theoharides and M.A. Moskowitz (USA) 137

The response of the 5-hydroxyindole oxidation current to noxious stimuli in the spinal cord of anesthetized rats: modification by morphine
K. Taguchi and Y. Suzuki (Japan) 150

β-Adrenergic receptor activity of cerebral microvessels in experimental diabetes mellitus
A.D. Mooradian and P.J. Scarpace (USA) 155

Presence of GABA-immunoreactive neurons within intracortical patches in area 18 of the cat
J.A. Matsubara and J.D. Boyd (Canada) 161

Abnormal profiles of polyunsaturated fatty acids in the brain, liver, kidney and retina of patients with peroxisomal disorders
M. Martinez (Spain) 171

Evidence that long-term estrogen treatment disrupts opioid involvement in the induction of pituitary LH surge
M. Fuentes, A. Sahu and S.P. Kalra (USA) 183

Social isolation increases the density of [^{125}I]ω-conotoxin GVIA binding sites in the rat frontal cortex and caudate nucleus
A. Czyrak, D.J. Dooley, G.H. Jones and T.W. Robbins (Poland, USA, FRG, UK) 189

Role of glutathione in repair of free radical damage in hippocampus in vitro
T.C. Pellmar, D. Roney and D.L. Lepinski (USA) 194

The effect of hypoxia on neurotransmitter phenotype of forebrain cholinergic neurons
M.P. Flavin, Y. Yang and R.J. Riopelle (Canada) 201

Fos expression in intrastriatal striatal grafts: regulation by host dopaminergic afferents
R.J. Mandel, K. Wictorin, M.A. Cenci and A. Björklund (Sweden, USA) 207

Behavior of axons, Schwann cells and perineurial cells in nerve regeneration within transplanted nerve grafts: effects of anti-laminin and anti-fibronectin antisera
G.-Y. Wang, K.-I. Hirai, H. Shimada, S. Taji and S.-Z. Zhong (Japan, China) 216

(contents continued on p. 359)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update)

BRAIN RESEARCH

VOL. 583 NOS. 1/2 **CONTENTS** **26 JUNE 1992**

Guidelines for the submission of manuscripts v

Announcement from the Publisher vii

Intraseptal connections redefined: lack of a lateral septum to medial septum path
C. Leranth, T. Deller and G. Buzsáki (USA) 1

Intraretinal xenografts of differentiated human retinoblastoma cells integrate with the host retina
M. Del Cerro, M.F. Notter, G. Seigel, E. Lazar, G. Chader and C. Del Cerro (USA) 12

Stimulation of inositol phosphate formation in cultured human retinal pigment epithelium
R.B. Crook, M.-K. Song, L.P. Tong, J.M. Yabu, J.R. Polansky and G.M. Lui (USA) 23

Differentiation of Neuro-2a neuroblastoma cells by an antibody to GM_3 ganglioside
D. Chatterjee, M. Chakraborty and G.M. Anderson (USA) 31

The magnocellular arginine-vasopressin mRNA responds differently to food deprivation between the supraoptic and paraventricular nuclei of the hypothalamus in adrenalectomized rats with low corticosterone replacement
T. Ogasa, K. Hashimoto, S. Suemaru, J. Kageyama and Z. Ota (Japan) 45

Susceptibility of brain to AMPA induced excitotoxicity transiently peaks during early postnatal development
J.W. McDonald, W.H. Trescher and M.V. Johnston (USA) 54

Effects of inorganic constituents of saliva on taste responses of the rat chorda tympani nerve
R. Matsuo and T. Yamamoto (Japan) 71

Frequency selectivity is related to temporal processing in parallel thalamocortical auditory pathways
R.C. Lennartz and N.M. Weinberger (USA) 81

Modification of voltage-dependent Na^+ current by triphenyltin, an environmental pollutant, in isolated mammalian brain neurons
Y. Oyama (Japan) 93

The presence of thromboxane A_2 receptors in cultured astrocytes from rabbit brain
N. Nakahata, H. Ishimoto, M. Kurita, K. Ohmori, A. Takahashi and H. Nakanishi (Japan) 100

Presumptive adrenergic neurons containing phenylethanolamine *N*-methyltransferase immunoreactivity in the medulla oblongata of neonatal swine
D.A. Ruggiero, M. Anwar and P.M. Gootman (USA) 105

Ontogenic study of lithium–pilocarpine-induced status epilepticus in rats
E. Hirsch, T.Z. Baram and O.C. Snead III (USA, France) 120

The effects of lesions of the habenular nuclei on the development of sensitization to the behavioral activational effects of repeatedly administered morphine in the rat
D. Funk and J. Stewart (Canada) 127

5-Hydroxytryptamine receptor agonists for the abortive treatment of vascular headaches block mast cell, endothelial and platelet activation within the rat dura mater after trigeminal stimulation
M.G. Buzzi, V. Dimitriadou, T.C. Theoharides and M.A. Moskowitz (USA) 137

The response of the 5-hydroxyindole oxidation current to noxious stimuli in the spinal cord of anesthetized rats: modification by morphine
K. Taguchi and Y. Suzuki (Japan) 150

β-Adrenergic receptor activity of cerebral microvessels in experimental diabetes mellitus
A.D. Mooradian and P.J. Scarpace (USA) 155

Presence of GABA-immunoreactive neurons within intracortical patches in area 18 of the cat
J.A. Matsubara and J.D. Boyd (Canada) 161

Abnormal profiles of polyunsaturated fatty acids in the brain, liver, kidney and retina of patients with peroxisomal disorders
M. Martinez (Spain) 171

Evidence that long-term estrogen treatment disrupts opioid involvement in the induction of pituitary LH surge
M. Fuentes, A. Sahu and S.P. Kalra (USA) 183

Social isolation increases the density of [^{125}I]ω-conotoxin GVIA binding sites in the rat frontal cortex and caudate nucleus
A. Czyrak, D.J. Dooley, G.H. Jones and T.W. Robbins (Poland, USA, FRG, UK) 189

Role of glutathione in repair of free radical damage in hippocampus in vitro
T.C. Pellmar, D. Roney and D.L. Lepinski (USA) 194

The effect of hypoxia on neurotransmitter phenotype of forebrain cholinergic neurons
M.P. Flavin, Y. Yang and R.J. Riopelle (Canada) 201

Fos expression in intrastriatal striatal grafts: regulation by host dopaminergic afferents
R.J. Mandel, K. Wictorin, M.A. Cenci and A. Björklund (Sweden, USA) 207

Behavior of axons, Schwann cells and perineurial cells in nerve regeneration within transplanted nerve grafts: effects of anti-laminin and anti-fibronectin antisera
G.-Y. Wang, K.-I. Hirai, H. Shimada, S. Taji and S.-Z. Zhong (Japan, China) 216

(contents continued on p. 359)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update)

(contents continued)

Effects of the *N*-methyl-D-aspartate antagonists on the rise in $[Ca^{2+}]_i$ following depolarization in aged rat brain synaptosomes
M. Okada, A. Urae, K. Iwasaki, K. Mine and M. Fujiwara (Japan) 227
Activation of κ-opioid receptors depresses electrically evoked excitatory postsynaptic potentials on 5-HT-sensitive neurones in the rat dorsal raphé nucleus in vitro
R.D. Pinnock (UK) 237
Testosterone reverses a senescent decline in extrahypothalamic vasopressin mRNA
D.J. Dobie, M.A. Miller, M.A. Raskind and D.M. Dorsa (USA) 247
Auto- and cross-correlation analysis of subthalamic nucleus neuronal activity in neostriatal- and globus pallidal-lesioned rats
L.J. Ryan, D.J. Sanders and K.B. Clark (USA) 253
Biochemical characterization of independent olfactory receptor sites for 5′-AMP and taurine in the spiny lobster
K.S. Olson, H.G. Trapido-Rosenthal and C.D. Derby (USA) 262
Symmetric synapses formed by callosal afferents in rat visual cortex
C.M. Hughes and A. Peters (USA) 271
Ultrastructural immunolocalization of rat oxytocin-neurophysin in transgenic mice expressing the rat oxytocin gene
M. Belenky, M. Castel, W.S. Young III, H. Gainer and S. Cohen (Israel, USA) 279
Lateral hypothalamus and local stimulation induced postsynaptic responses in zona incerta neurons in an in vitro slice preparation of the rat
H. Nakanishi, K. Yamamoto and H. Kita (Japan, USA) 287
Further studies on interactions between periaqueductal gray, nucleus accumbens and habenula in antinociception
Q.-P. Ma, Y.-S. Shi and J.-S. Han (China) 292
TNFα induces IL-6 production by astrocytes but not by microglia
M. Sawada, A. Suzumura and T. Marunouchi (Japan) 296
Neurochemical effects of vagus nerve stimulation in humans
E.J. Hammond, B.M. Uthman, B.J. Wilder, E. Ben-Menachem, A. Hamberger, T. Hedner and R. Ekman (USA, Sweden) 300
Agents that affect calcium influx can change cyclic nucleotide levels in cultured chick pineal cells
M. Zatz (USA) 304
Dopamine microinjected into the nucleus ambiguus elicits vagal bradycardia in spinal rats
V.C. Chitravanshi and F.R. Calaresu (Canada) 308
Effect of age on [^{3}H]nisoxetine binding to uptake sites for norepinephrine in the locus coeruleus of humans
S.M. Tejani-Butt and G.A. Ordway (USA) 312
Current hypotheses of structural pattern formation in the somatosensory system and their potential relevance to humans
R. Goyal, S.K. Rasey and J.T. Wall (USA) 316
Immunohistochemical characterization of NPY and substance P containing nerve terminals in aged and diabetic human sympathetic ganglia
R.E. Schmidt, D.A. Dorsey and K.A. Roth (USA) 320
Olfactory bulb output neurons excited from a basal forebrain magnocellular nucleus
W.A.A. Kunze, A.D. Shafton, R.E. Kemm and J.S. McKenzie (Australia) 327
Involvement of hypothalamic noradrenergic systems in the modulation of intestinal motility in rats
B. Bonaz, L. Martin, E. Beurriand, J. Hostein and C. Feuerstein (France) 332
A double-label study demonstrating that all serotonin-like immunoreactive amacrine cells in the larval tiger salamander retina express GABA-like immunoreactivity
C.B. Watt (USA) 336
Identification of an AII(3–8) [AIV] binding site in guinea pig hippocampus
J.W. Harding, V.I. Cook, A.V. Miller-Wing, J.M. Hanesworth, M.F. Sardinia, K.L. Hall, J.W. Stobb, G.N. Swanson, J.K.M. Coleman, J.W. Wright and E.C. Harding (USA) 340
γ-Aminobutyric acid, through $GABA_A$ receptors, inhibits the potassium-stimulated release of calcitonin gene-related peptide- but not that of substance P-like material from rat spinal cord slices
S. Bourgoin, M. Pohl, J.J. Benoliel, A. Mauborgne, E. Collin, M. Hamon and F. Cesselin (France) 344
Distribution of bulbospinal neurons supplying bilateral innervation to the phrenic nucleus in the rat
F. Portillo and P.A. Núñez-Abades (France, Spain) 349

Author Index 357